




WALDORF SUSPENSION DOUBLE




type	suspension					
materials	shade :	powder coated steel & aluminium				
	body :	powder coated aluminium				
	sphere :	milk glass (G60)				
	hardware :	brass				
	canopy :	powder coated steel				
total height	24"	28"	32"	36"	42"	54"
	610 mm	711 mm	813 mm	914 mm	1067 mm	1372 mm
	weight					
	min. 3.5 lb / 1.6 kg - max. 3.7 lb / 1.7 kg					
	light bulb					
	LED (included), 2x 4.5W					
sockets						
G9						
voltage						
120V / 240V						
dimmer						
refer to our recommended list of dimmer models						
certifications						
						
notes						
<ul style="list-style-type: none"> - must be installed by an electrician; - additional charges for modifications or for special orders; - lead time between 8-9 weeks; - dimensions are approximate and may vary slightly. 						



ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (shade and body, hardware)</u>	<u>HEIGHT</u>
WAL waldorf	08	BLBR black shade and body, brass hardware BLGR black shade and body, graphite hardware WHBR white shade and body, brass hardware	A 24" / 610 mm B 28" / 711 mm C 32" / 813 mm D 36" / 914 mm E 42" / 1067 mm F 54" / 1372 mm V custom
WAL	08	BLBR	A = WAL08BLBRA <i>example</i>

FINISH



brass



black





graphite




white

CANOPY swivel option for slanted ceiling



LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS



Frosted
4.5W
100V-120V / 240V
450 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty



SPHERES



G100 Ø ± 4" / 100 mm



G80 Ø ± 3" / 80 mm



G60 Ø ± 2" / 60 mm



G50 Ø ± 2" / 50 mm



tube Ø 1" / 27 mm
length ± 2" / 60 mm

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.