
lambert&fils

LAURENT 15




Туре	Suspension					
Materials	Sphere: Frame:	handblown opaline glass polished brass or powder coated aluminum or nickel plated steel				
	Hardware:	polished brass or powder coated aluminium				
	Wire:	nylon				
Total Height	Height to be specified upon order					
Weight	Starts at 36 lb / 16 kg					
Light Bulb	LED (included), 11 x 4.5W					
Sockets	G9					
Voltage	120V / 240V					
Dimmer	Refer to our recommended list of dimmer models					
Certifications	c∰us C € ≟					
Notes		stalled by an electrician charges for modifications				

- Lead time between 10-12 weeks
- Dimensions are approximate and may vary slightly



lambert&fils

Order Guide: SKU



CANOPY COLOR

custom color available on demand




flat black

lambert&fils

LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS



Frosted 4.5W 100V-120V / 240V 450 Lumens 2700 K 25 000 H CRI ≥80 2 years warranty



DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MAX LEVEL	MIN LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V

DIMMER BRAND	MODEL NUMBER	MAX LEVEL	MIN LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT LEGRAND - NILOÉ NIKO NIKO	V-PRO 3 996 35 310-0280X 310-0190X	100% 87% 94% 100%	2% 15% 5% 1%	no no no	very good good very good very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.