



DOT ATOMIUM




<b>type</b>	suspension				
<b>materials</b>	body :	brass			
	sphere :	milk glass (G50)			
	hardware :	brass			
<b>total height</b>	24 ½"	30 ½"	36 ½"	42 ½"	54 ½"
	622mm	775 mm	927mm	1080mm	1384mm
<b>weight (min.)</b>	min. 5.5 lb / 2.5 kg - max. 6 lb / 2.7 kg				
<b>light bulb</b>	LED (included), 12x 3.5W				
<b>sockets</b>	G9				
<b>voltage</b>	120V / 240V				
<b>dimmer</b>	refer to our recommended list of dimmer models				
<b>certifications</b>					
<b>notes</b>	<ul style="list-style-type: none"> <li>- must be installed by an electrician;</li> <li>- additional charges for modifications or for special orders;</li> <li>- lead time between 7-9 weeks;</li> <li>- dimensions are approximate and may vary slightly.</li> </ul>				



## ORDER GUIDE: SKU

COLLECTION		MODEL	FINISH		HEIGHT	
<b>DOT</b>	Dot	<b>01</b>	<b>BR</b>	brass	<b>A</b>	24 ½" / 622 mm
			<b>GR</b>	graphite	<b>B</b>	30 ½" / 775 mm
					<b>C</b>	36 ½" / 927 mm
					<b>D</b>	42 ½" / 1080 mm
					<b>E</b>	54 ½" / 1384 mm
					<b>V</b>	custom
<b>DOT</b>		<b>01</b>	<b>BR</b>		<b>A</b>	<b>= DOT01BRA</b>
						<b>example</b>



### FINISH




brass




graphite

### CANOPY swivel option for slanted ceiling



## LIGHT BULB & DIMMER SPECIFICATIONS

### G9 SOCKETS



Frosted  
3.5W  
100V-120V / 240V  
350 Lumens  
2700 K  
25 000 H  
CRI ≥80  
2 years warranty



### SPHERES



G100  $\varnothing \pm 4"$  / 100 mm



G80  $\varnothing \pm 3"$  / 80 mm



G60  $\varnothing \pm 2"$  / 60 mm



G50  $\varnothing \pm 2"$  / 50 mm



tube  $\varnothing 1"$  / 27 mm  
length  $\pm 2"$  / 60 mm

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.