


## WALDORF WALL SMALL



<b>type</b>	wall
<b>materials</b>	shade : powder coated steel and aluminium body : brass sphere : milk glass (G60) hardware : brass bracket : powder coated steel wire : nylon
<b>weight</b>	2.4 lb / 1.1 kg
<b>light bulb</b>	LED (included), 4,5W
<b>sockets</b>	G9
<b>voltage</b>	120V / 240V
<b>dimmer</b>	refer to our recommended list of dimmer models
<b>certifications</b>	
<b>notes</b>	<ul style="list-style-type: none"><li>– must be installed by an electrician (HW)</li><li>– lead time between 8-9 weeks</li><li>– dimensions are approximate and may vary slightly</li></ul>

### HARDWIRE

### SOFTWARE



## ORDER GUIDE: SKU

COLLECTION	MODEL	FINISH (shade and body)	INSTALLATION
WAL waldorf	04	<b>BLBR</b> black shade, brass body <b>BLGR</b> black shade, graphite body <b>WHBR</b> white shade, brass body	<b>HW</b> hardwire <b>SW</b> softwire
WAL	04	BLBR	HW = WAL04BLBRHW <i>example</i>

### FINISH



brass





black





graphite







white



### HARDWIRE




### SOFTWIRE



## LIGHT BULB & DIMMER SPECIFICATIONS

### G9 SOCKETS



Frosted  
4.5W  
100V-120V / 240V  
450 Lumens  
2700 K  
25 000 H  
CRI ≥80  
2 years warranty



### SPHERES



G100  $\varnothing$  ± 4" / 100 mm



G80  $\varnothing$  ± 3" / 80 mm



G60  $\varnothing$  ± 2" / 60 mm



G50  $\varnothing$  ± 2" / 50 mm



tube  $\varnothing$  1" / 27 mm  
length ± 2" / 60 mm

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.