

DORVAL 01



type: suspension

materials: powder coated aluminum body
prismatic PMMA lens
polyester wire

wire length: 108" / 275 cm

weight: 11.5 lb / 5.2 kg

light source: 35 W
Total delivered 2300 lumen
LED 2700k / 3000k / Dim to warm
30 000 H
CRI ≥90
2 years warranty
3 SDCM consistency


voltage: 120V / 277V

dimmer: refer to our recommended list of dimmer models

certifications:    


notes:

- must be installed by an electrician
- LED may only be changed by Lambert & Fils or other authorized personnel
- additional charges for modifications or for special orders
- dimensions are approximate and may vary slightly




ORDER GUIDE: SKU


COLLECTION	MODEL	BODY + CANOPY	LIGHT SOURCE
DOR dorval	01	BLBL black/black BLWH black/white LBLB light blue/light blue LBWH light blue/white WHWH white/white	WL warm light (2700K) NL neutral light (3000K) DW dim to warm (2700K to 2200K)
DOR	01	BLBL	WL = DOR01BLBLWL example



LUMINAIRE COLOUR (body, wire and loop)



CANOPY COLOUR



DIMMER SPECIFICATIONS

TESTED DIMMER LIST COMPATIBILITY - 120V

Compatible with 0-10V, ELV, Phase dimming

Dimmer brand	Model	Max level	Min level
Lutron	TGCL-153P	98%	9%
Leviton	VPE06	98%	14%
Lutron	DVELV303P	98%	11%
Lutron	SELV300P	98%	11%
Lightolier	ZP260QEW	98%	11%
Lutron	FAELV500	99%	17%
Lutron	MAELV600	98%	18%

TESTED DIMMER LIST COMPATIBILITY - 230V

Compatible with 1-10V, ELV, Phase dimming

Dimmer brand	Model	Max level	Min level
Clipsal	32E450UDM	100%	31%
Clipsal	32E450TM	100%	25%

*Other dimmers can yield good results and we recommend conducting your own test before final installation

EU ENERGY LABEL

