








PARC 01


Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

type:	wall and table
construction:	hand blown frosted glass powder coated aluminum body vinyl cord
specifications:	source: LED lamp provided (G9 base) power consumption: 4,5W lumen output: 319lm colour temperature: 2700K included *3000K available upon request colour rendering index: 80 CRI standard * ≥ 90 CRI upon request expected lifetime: 25 000h
control:	refer to our recommended list of dimmer models
cord length:	96" / 244 cm, hand switch at 18"/46 cm from lamp 144" / 366 cm, foot switch at 72"/183 cm from lamp
weight:	2.2lb / 1kg
certifications:	    IP20
warranty:	2 years




ORDER GUIDE: SKU

COLLECTION		MODEL	BODY		CORD*		SWITCH	
PRC	parc	01	BK	black	BK	black	HD	hand
			MB	midnight blue	WH	white	FT	floor
			BE	blue				
			WH	white				
			BG	beige				
			BU	burgundy				
			GN	green				
			TC	terracotta				
PRC		01	BK		BK		HD	= PRC01BKBKHD
								example



FINISH (*polyester cords also available in all colours upon request, except terracotta)



* cords only available in black or white in Australia

NOTES:

- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL

