








PARC 03

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

- type:** pendant
- construction:** hand blown frosted glass
powder coated aluminum body
polyester cord
- specifications:** source: LED lamp (G9 base)
power consumption: 2x 4,5W
lumen output: 638lm
colour temperature: 2700K*
* 3000K available upon request
colour rendering index: ≥80 CRI*
* ≥90 CRI available upon request
expected lifetime: 25 000h
- control:** refer to our recommended list of dimmer models
- cord length:** 96" / 244cm
- weight:** 5.5lb / 2.5kg
- certifications:**     IP20
- warranty:** 2 years



*dimensions are approximate and may vary slightly

ORDER GUIDE: SKU

COLLECTION		MODEL	BODY		CORD		CANOPY	
PRC	parc	03	BK	black	BK	black	BK	black
			WH	white	WH	white	WH	white
			BE	blue	BE	blue	BE	blue
			BG	beige	BG	beige	BG	beige
			BU	burgundy	BU	burgundy	BU	burgundy
			GN	green	GN	green	GN	green
			MB	midnight blue	MB	midnight blue	MB	midnight blue
			TC	terracotta			TC	terracotta
PRC		03	BK		BK		BK	


= **PRC03BKBK**
example

FINISH



NOTES

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good


DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL

lambert&fils PARC 03



This luminaire is compatible with bulbs of the energy classes:

A⁺⁺

A⁺

A


B

C

D

E

}



This luminaire is sold with a bulb of the energy class : A⁺

874/2012 