






# PARC ATELIER 01



This extended Parc model plays with the proportions between the tubes and the globes, allowing for a bolder yet still playful piece, reminiscent of a dancer's legs in mid-air - it fills a room while never overpowering it. The Parc Atelier 01 not only exudes elegance but will truly sing in larger spaces with higher ceilings.

Parc Collection is a collaboration with designer Adrien Rovero.

<b>TYPE</b>	Table
<b>CONSTRUCTION</b>	Solid brass body Hand blown frosted glass Brass cord (vinyl cord for Australia)
<b>SPECIFICATIONS</b>	Source: LED lamp provided (G9 base) power consumption: 4.5W lumen output: 319lm  Colour temperature: 2700K included *3000K available upon request Colour rendering index: 80 CRI standard * ≥ 90 CRI upon request expected lifetime: 25 000h
<b>CONTROL</b>	Refer to our recommended list of dimmer models on page 5
<b>CORD LENGTH</b>	Hand switch: 96"/ 244 cm provided Switch positioned at 18"/ 46 cm from body Foot switch: 108"/ 274 cm provided Switch positioned at 60"/ 152 cm from body
<b>CERTIFICATIONS</b>	    IP20
<b>WARRANTY</b>	2 years



## FINISH




**BR**  
Brass

## NOTES

- Must be installed by an electrician
- Not protected against liquids (refer to IP20)
- Additional charges for modifications or for special orders
- Please refer to maintenance sheet on our website for cleaning instructions
- Ceiling anchors not meant for slanted ceilings (available upon request)

## LAMP ANATOMY



		Example	Fill with your selection
<b>COLLECTION</b>	<b>PRC</b> Parc	<b>PRC</b>	<b>PRC</b>
<b>MODEL</b>	<b>52</b>	<b>52</b>	<b>52</b>
<b>BODY</b>	<b>BR</b> Brass	<b>BR</b>	<b>BR</b>
<b>CORD*</b>	<b>BR</b> Brass	<b>BR</b>	<b>BR</b>
<b>SWITCH</b>	<b>HD</b> Hand <b>FT</b> Foot	<b>HD</b>	
<b>FULL SKU</b>		<b>PRC52BRBRHD</b>	

**NOTES**

- \* - plug and switch are white
- cords only available in black or white vinyl for Australia

## DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL	MIN LEVEL	MAX LEVEL	FLICKERING
Lutron - Maestro	MAELV600	0-10%	100%	Good
Lutron - Skylark	SELV300P	no	100%	Very good
Lutron - Skylark	SELV303P	no	100%	Very good
Lutron - Skylark	CTELV-303P	no	100%	Very good
Lutron - Diva	DVELV-300P	no	100%	Very good
Legrand - Adorne	TRUE UNIVERSAL	100%	30%	Good

Some dimmers require a minimum load, check specifications.

\*Other dimmers that specify LED lamp compatibility may operate without issue.


We recommend conducting your own test before final installation.

\*\*Leading edge is also known as TRIAC or Forward Phase.

Trailing edge is also known as ELV or Reverse Phase.

## EU ENERGY LABEL

**lambert&fils** PARC 52



This luminaire is compatible with bulbs of the energy classes:

A<sup>++</sup>

A<sup>+</sup>

A


B

C

D

E

}



This luminaire is sold with a bulb of the energy class : A<sup>+</sup>

874/2012 