
## Silo 2T



The Silo collection inhabits many worlds at once, creating a striking metaphor for duality. Mysterious yet inviting, the true magic lies in how its rhythmic curves shape light and space around it. Made using custom aluminium extrusions, the modular uplight-downlight creates a theatrical yet sleek composition

TYPE	Table	
CONSTRUCTION	Powder coated, mirror polished or tumbled aluminum body Polycarbonate lens Vinyl cord	
SPECIFICATIONS	Source: LED array integrated Power consumption: 7.6W	
	Colour temperature (CCT):  Lamp is set to dim to warm mode (3000K to 2200K)	
	Lumen output: 3000K - 455lm 2700K - 433lm	
	Colour rendering index: ≥90 CRI Colour consistency: 3 SDCM Expected lifetime: ≥50 000h	
CONTROL	100-240 VAC Plug-in Driver, cord dimmer	
CORD LENGTH	96"/ 244 cm provided cord dimmer positioned at 18" / 46 cm from body	
WARRANTY	2 years	



Order Guide: SKU

## **FINISH**










Tumbled

aluminum



Textured

beige





Textured

terracotta



Textured

aubergine

Mirror





oxblood





Textured midnight blue

CORD

Wrinkled

dusty pink




BK Black

## NOTES

- Not protected against liquids (refer to IP20)
- Additional charges for modifications or for special orders
- Please refer to maintenance sheet on our website for cleaning instructions

## LAMP ANATOMY



		Example	Fill with your selection
COLLECTION	SIL Silo	SIL	SIL
MODEL	2T	2T	2T
SHAPE	F	F	F
BODY	BK Textured black WH Textured white MR Mirror polished aluminum TA Tumbled aluminum BG Textured beige DP Wrinkled dusty pink TC Textured terracotta AU Textured aubergine OB Glossy oxblood MB Textured midnight blue CC Custom colour*	вк	
CORD	<b>BK</b> Black	BK	ВК
FULL SKU		SIL2TFBKBK	
		NOTES	

<sup>\*</sup>Custom colour available upon request. Material library on website.